

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039 Expires 9-30-96

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WAD 980738546		Manifest Document No. 68487		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 628 S HANFORD SEATTLE WA 98134						A. State Manifest Document Number							
4. Generator's Phone (206) 623-5800						B. State Generator's ID							
5. Transporter 1 Company Name SAFETY-KLEEN CORP.			6. US EPA ID Number IID 984908202			C. State Transporter's ID							
7. Transporter 2 Company Name S L T EXPRESS			8. US EPA ID Number UTD 981552425			D. Transporter's Phone 206 775-7030							
9. Designed Facility Name and Site Address SAFETY-KLEEN CORP. 16540 SE 130TH AVE BLDG B CLACKAMAS OR 97015						E. State Transporter's ID							
10. US EPA ID Number ORD 981766124						F. Transporter's Phone 800 627-3047							
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers No.		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII(D039) (WC02, WP02, WT02, F001) (ERG#27) 6.7 #GL						1		DM		14		G	
b.													
c.													
d.													
J. Additional Descriptions for Materials Listed Above I(A) WP02 WT02 (A) (WA)F001						K. Handling Codes for Wastes Listed Above B6116365							
15. Special Handling Instructions and Additional Information 9536 85234102 068487 7-092-01-7186 9909 IF UNDELIVERABLE, RETURN TO GENERATOR FOR RECYCLE EMERGENCY RESPONSE#708-888-4660 24HR. SKDOT# A: 95680 B: C: D:													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name Susan Wintermute						Signature Susan Wintermute				Date Month Day Year 9 17 1995			
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name STAN DEAN				Signature Stan Dean			
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name B NELSON				Signature B NELSON			
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						Printed/Typed Name L Skoien				Signature L Skoien			
										Date Month Day Year 9 13 95			

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

SAFETY-KLEEN CORP.

90290

6

ORIGINAL-RETURN TO GENERATOR

AKC-0018143

INSTRUCTIONS FOR COMPLETION OF THIS FORM REFER CODE OF FEDERAL REGULATIONS 40 PART 262.20

Public reporting burden for this collection of information is estimated to average 37 minutes per generator, 15 minutes for transporters, and 10 minutes for disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039 Expires 9-30-96

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WAD 980738546	Manifest Document No. 68487		2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 528 S HANFORD SEATTLE WA 98134					A. State Manifest Document Number			
4. Generator's Phone (206) 623-5800					B. State Generator's ID			
5. Transporter 1 Company Name SAFETY-KLEEN CORP.			6. US EPA ID Number ILD 984906202		C. State Transporter's ID			
7. Transporter 2 Company Name S L T EXPRESS			8. US EPA ID Number UTD 981562429		D. Transporter's Phone 206 775-7030			
9. Designed Facility Name and Site Address SAFETY-KLEEN CORP. 15540 SE 130TH AVE BLDG B CLACKAMAS OR 97015			10. US EPA ID Number ORD 981766124		E. State Transporter's ID			
					F. Transporter's Phone 800 627-3067			
					G. State Facility's ID			
					H. Facility's Phone 800 657-7033			
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)					12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM X WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII(D039) (WC02,WP02,WT02,PO01)(EHC027)0.7 MCL					1	14	0	0039 WC02*
b.								
c.								
d.								
J. Additional Descriptions for Materials Listed Above 1(A) WP02 WT02 (A) (NA)PO01					K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information 9830 80234102 008487 7-092-01-7186 9909 IF UNDELIVERABLE, RETURN TO GENERATOR FOR RECYCLE EMERGENCY RESPONSE 708-688-4660 24HR SKUOTW A: 98680 B: C: D:								
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.								
Printed/Typed Name Susan Winters					Signature Susan Winters		Date 9/7/91	
17. Transporter 1 Acknowledgement of Receipt of Materials					Signature Stan Dean		Date 9/7/91	
18. Transporter 2 Acknowledgement of Receipt of Materials					Signature		Date	
19. Discrepancy Indication Space								
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.								
Printed/Typed Name					Signature		Month Day Year	

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

SAFETY-KLEEN CORP.

90290

6

GENERATOR COPY

INSTRUCTIONS FOR COMPLETION OF THIS FORM. REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

AKC-0018144



7-092-01

LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

PHASE II LDR NOTICE: GENERATOR NOT REQUIRED TO LIST UNDERLYING CONSTITUENTS BECAUSE TREATER WILL MONITOR FOR THE CONSTITUENTS BEFORE LAND DISPOSAL.

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO.

OR0981766124

7-092-01-7186

93 (DESIGNATED FACILITY) 9536

MAN DOC: 68487

ADDRESS: 16540 SE 130TH AVE BLDG 9 CLACKANAS

OR 97017

Under manifest/sales service number 68487

the generator noted below is shipping to you a waste determined to

be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal.

A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

MG/KG

PLEASE
THE
APPROPRIATE
BOXES

WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD
<input type="checkbox"/> Waste Petroleum Naphtha 105	D001	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water)
<input checked="" type="checkbox"/> Waste Petroleum Naphtha 140	D006 D008 D018 D035 D039 D040	Cadmium Lead Benzene Methyl Ethyl Ketone Tetrachloroethylene Trichloroethylene	1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/L 36 (non-waste water) MG/L 6.0 (non-waste water) MG/L 6.0 (non-waste water) MG/L
<input type="checkbox"/> Actrel Solvent (If customer specific TCLP is not available)	D001 D006 D008 D018 D039 D040	Ignitable Liquid (High TOC Subcategory) Cadmium Lead Benzene Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/L 6.0 (non-waste water) MG/L 6.0 (non-waste water) MG/L
<input type="checkbox"/> Aqueous Parts Washer	D006 D008	Cadmium Lead	1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L
<input checked="" type="checkbox"/> Cyclonic, 150 Premium Solvent OR AQUEOUS BRAKE CLEANER	D039	Tetrachloroethylene	6.0 (non-waste water) MG/L
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001 D006 D008 D018 D039	Ignitable Liquid (High TOC Subcategory) Cadmium Lead Benzene Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/L 6.0 (non-waste water) MG/L
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006 D008 D018 D027 D035 D039 D040	Cadmium Lead Benzene 1, 4-Dichlorobenzene Methyl Ethyl Ketone Tetrachloroethylene Trichloroethylene	1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/L 6.0 (non-waste water) MG/L 36 (non-waste water) MG/L 6.0 (non-waste water) MG/L 6.0 (non-waste water) MG/L
<input type="checkbox"/> Waste Gasoline Filters	D001 D018	Ignitable Liquid (High TOC Subcategory) Benzene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 10 (non-waste water) MG/L

OPTIONAL
STATE
INFO.

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(C>1/3)(Y/N)	OFF-COLOR? (Y/N)	MORE THAN 30% SOLIDS? (Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)
330-00320						

SPECIFIC GRAVITY
ACCEPTANCE GUIDELINES

SALES REPRESENTATIVE SIGNATURE

(FOR OPTIONAL STATE INFORMATION)

** NO SIGNATURE REQUIRED **


The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company ALASKAN COPPER WORKS

EPA ID NO.: WAD090738946

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restriction.



AKC-0018145